


# AHW-060HCDS1

# Hisense

Levegő-víz Hőszivattyú a lakótér fűtéséhez, Split, 6 kW, R32



Széles működési tartomány



Környezetbarát R32 hűtőközeg



Színes érintőképernyős vezérlő



Nagy hatékonyságú DC inverter kompresszor



Alacsony zajszintű működés



Szobatermosztát



Beton szárító funkció



Medence fűtési kör külön vezérlése



Két különálló hőmérsékleti ciklus



Összekapcsolás harmadik fél hőforrásával "Hybrid üzem"



Kényelmes karbantartás a beltéri egységnél



Rugalmas hűtőközeg csővezeték tervezés



Hi-Checker



Applikációs vezérlés



Intelligens hálózati összekapcsolás és PV engedélyezés



Akár 7 helyiség független hőmérséklet-szabályozása

## Általános

Termékcsalád:	<b>Heat pump for ambient heating</b>	Split system:	<b>Split system</b>
Layout:	<b>Levegő-víz</b>	Kivitel:	<b>Exterior</b>
Designvonal:	<b>Hi-Therma</b>		

## Vezérlés

Compressor operation:	<b>Variable speed of compressor</b>
-----------------------	-------------------------------------

## Termékjellemző

Cooling mode:	<b>Active cooling</b>	Szuper csendes /Super Silent/:	<b>Igen</b>
Swimming pool heating function:	<b>Igen</b>		

## Technikai adatok

Heat pump heating power min.:	<b>1.95 kW</b>	Heating capacity at A7/W35 (min. - max):	<b>8.9 kW</b>
Heating capacity A7/W35:	<b>5.3 kW</b>	Heating capacity at A7/W35:	<b>6 kW</b>
COP A7/W35:	<b>3.16</b>	Heating capacity at A7/W55:	<b>6 kW</b>
COP (Coeff. Of performance) at A7/W55:	<b>3.05</b>	Heating capacity at A-7/W55:	<b>4.7 kW</b>
COP (Coeff. Of performance) at A-7/W55:	<b>2.04</b>	Hűtőfolyadék/gáz/:	<b>R32</b>
Flourtartalmú gázok mennyisége:	<b>0.98 kg</b>	Cooling capacity at A35/W7:	<b>5 kW</b>
Cooling capacity at A35/W18:	<b>6 kW</b>	EER at A35/W7:	<b>3.7</b>
EER at A35/W18:	<b>5.601</b>	Sound pressure at normal mode in cooling:	<b>47 dB(A)</b>
Sound power at normal mode in cooling:	<b>61 dB(A)</b>	Sound pressure at quiet mode in cooling:	<b>42 dB(A)</b>
Sound power at quiet mode in cooling:	<b>56 dB(A)</b>	Sound pressure at night mode in cooling:	<b>38 dB(A)</b>
Sound power at night mode in cooling:	<b>51 dB(A)</b>	Sound pressure at normal mode in heating:	<b>48 dB(A)</b>
Sound power at normal mode in heating:	<b>62 dB(A)</b>	Sound pressure at quiet mode in heating:	<b>42 dB(A)</b>
Sound power at quiet mode in heating:	<b>56 dB(A)</b>	Sound pressure at night mode in heating:	<b>38 dB(A)</b>
Sound power at night mode in heating:	<b>51, 99 dB(A)</b>	Liquid pipe diameter ODU ("):	<b>1/4</b>
Liquid pipe diameter ODU:	<b>6.351 mm</b>	Gas pipe diameter ODU ("):	<b>1/2</b>
Gas pipe diameter ODU:	<b>12.7 mm</b>	Minimum pipe length:	<b>4 m</b>

Maximum height difference (ODU higher than IDU):	<b>30 m</b>	Maximum height difference (IDU higher than ODU):	<b>20 m</b>
Space heating - outdoor temperature range (°C)(DB):	<b>-25-40</b>	Space heating - outlet water temperature range (°C):	<b>15-60</b>
Space cooling - outdoor temperature range (°C)(DB):	<b>5-46</b>	Space cooling - outlet water temperature range (°C):	<b>5-22</b>
DHW - outdoor temperature range (°C)(DB):	<b>-25-40</b>	DHW - water temperature range (°C):	<b>30-55</b>
DHW with E-heater - water temperature range (°C):	<b>30-75</b>	SWP - outdoor temperature range (°C)(DB):	<b>-25-40</b>
SWP - water temperature (°C):	<b>24-33</b>	A termék szélessége:	<b>900 mm</b>
A termék magassága:	<b>750 mm</b>	A termék mélysége:	<b>340 mm</b>
Nettó tömeg:	<b>49.5 kg</b>	Bruttó tömeg:	<b>53.5 kg</b>
Tápfeszültség:	<b>220-240 V</b>	Frekvencia:	<b>50 Hz, 60 Hz</b>
Cikkszám:	<b>20010118</b>	EAN kód:	<b>6943634895182</b>